

SAFETY DATA SHEET

LABEL REMOVER 200 ML

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: LABEL REMOVER 200 ML

PART No.: 190012000

MANUFACTURER: Ambersil Ltd.
Castlefield Industrial Estate, Wylids Rd, Bridgwater, Somerset, UK, TA6 4DD

TEL: +44 (0)1278 424200

FAX: +44 (0)1278 425644

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS No.	CONTENTS	HEALTH (class)	RISK (R No.)
WHITE SPIRIT	64742-82-1	30-60 %	Xn, N	65, 51/53
d-LIMONENE	5989-27-5	30-60 %	Xi, N	38
LPG	68476-85-7	10-30 %	Xn	

COMPOSITION COMMENTS: Risk phrases in this section apply only to individual constituents and not the finished preparation.

3 HAZARDS IDENTIFICATION

Extremely flammable.
Irritating to skin.

4 FIRST AID MEASURES

INHALATION: Remove from exposure, rest and keep warm. Seek medical attention if irritation persists.

INGESTION: DO NOT induce vomiting. Seek medical attention immediately and show this safety data sheet.

SKIN: Wash affected area with soap and water. If irritation persists seek medical attention.

EYES: In case of contact with eyes, rinse with water until irritation subsides. If irritation persists, seek medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Powder, foam or CO₂. Do not use a water jet.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, noxious fumes.

PROTECTIVE MEASURES IN FIRE: In the event of fire protect against exploding cans. Water spray may be used to cool aerosol cans.

6 ACCIDENTAL RELEASE MEASURES

PRECAUTIONS TO PROTECT ENVIRONMENT: Do not allow entry into drains or watercourses. If this occurs inform the local authorities at once.

SPILL CLEANUP METHODS: This product is a hermetically sealed pressurised aerosol unit and accidental spillage is unlikely. If can is ruptured, allow contents to discharge in situ, whilst removing all ignition sources from the area and ensuring maximum ventilation. Use an absorbent material, eg sand, to mop up residues. See section 13 'Disposal Considerations'.

LABEL REMOVER 200 ML

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Do not spray on a naked flame or any incandescent material.
STORAGE PRECAUTIONS: Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C. It is recommended that aerosols are stored in their own location away from bulk flammable liquids and packaging materials. Store in a cool, dry place away from heat and ignition sources.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
WHITE SPIRIT	64742-82-1	OES.	600 mg/m3	No std.
d-LIMONENE	5989-27-5	OES.	No std.	No std.
LPG	68476-85-7	OES.	400 ppm	400 ppm

INGREDIENT COMMENTS: OES = Occupational Exposure Standard.
VENTILATION: No specific ventilation requirements noted, but forced ventilation may still be required if air contamination exceeds acceptable level.
PROTECTIVE GLOVES: Chemical resistant gloves.
HYGIENIC WORK ROUTINES: PERSONAL PROTECTION: Wear personal protective equipment appropriate to the task.

9 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DATA COMMENTS: Not applicable - Product is a hermetically sealed aerosol unit.

10 STABILITY AND REACTIVITY

STABILITY: There are no known stability problems associated with this product when stored and used under the conditions recommended.
MATERIALS TO AVOID: Strong oxidizing agents.

11 TOXICOLOGICAL INFORMATION

HEALTH HAZARDS, GENERAL: An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this product. Health hazards associated with aerosols are considered to be limited due to their hermetically sealed nature.
INHALATION: High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.
INGESTION: Harmful if swallowed.
SKIN: Irritating to skin.
EYES: Irritating to eyes.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: An ecotoxicity study of this product has not been conducted. However, this product contains substances which are classified as Dangerous for the Environment. Do not discharge into waste or waterways.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Recycle empty containers if facilities are available. Dispose of in accordance with local authority recommendations.

LABEL REMOVER 200 ML

14 TRANSPORT INFORMATION

ROAD:			
UN No:	1950	ADR CLASS No:	2
ADR ITEM No:	5°F	PROPER SHIPPING NAME I:	AEROSOLS
RAIL:			
SEA:			
UN SEA:	1950	SEA TRANSPORT CLASS No:	2.1
SEA TRANSPORT NOTES:	MARINE POLLUTANT		
AIR:			
UN AIR:	1950	AIR TRANSPORT CLASS No:	2.1

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



EXTREMELY FLAMMABLE



IRRITANT

RISK PHRASES:	R-12 R-38	Extremely flammable. Irritating to skin.
SAFETY PHRASES:	S-2 S-16 S-24 S-51	Keep out of reach of children. Keep away from sources of ignition - No Smoking. Avoid contact with skin. Use only in well ventilated areas.
UK REGULATORY REFERENCES:	Chemicals (Hazard Information & Packaging) Regulations.	

16 OTHER INFORMATION

USER NOTES:	The purpose of the above information is to describe this product only in terms of Health and Safety requirements. The information given therefore, should not be construed as guaranteeing specific properties or specification. Customers should satisfy themselves as to the suitability and completeness of this information for their own particular use, bearing in mind any other Health and Safety legislation or regulations. The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is construed as a warranty or representation. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.
INFORMATION SOURCES:	British Aerosol Manufacturers Association Code of Practice. HSE EH40 Occupational Exposure Limits. Suppliers health & safety data sheets.
DATE:	01.10.99